

[literatuurlijst onco 3-20]

### **Klachten en adviezen na behandeling van het rectumcarcinoom**

(pag 8 ev)

Allgayer, H., Dietrich, C.F., Rohde, W., ... Tuschhoff, T. (2005). Prospective comparison of short- and long-term effects of pelvic floor exercise/biofeedback training in patients with fecal incontinence after surgery plus irradiation versus surgery alone for colorectal cancer: clinical, functional and endoscopic/endosonographic findings. *Scand J Gastroenterol.* 40(10):1168-1175.

Bazzell A., Madsen L.T., Dains J. (2016). Clinical Management of Bowel Dysfunction After Low Anterior Resection for Rectal Cancer. *J Adv Pract Oncol* 2016; Sep-Oct 2016; 7(6):618-629.

Bulfone, G., Del Negro, F., Del Medico, E., ... Stevanin, S. (2020). Rehabilitation strategies for low anterior resection syndrome. A systematic review. *Ann Ist Super Sanità*, 56(1), 38-47.

Chirurg en Operatie. Vroeg / laat stadium endeldarmkanker (rectumcarcinoom). Op 31-05-2020 ontleend aan <http://www.chirurgenoperatie.nl/wp/maag-lever-darm/vroeg-laat-stadium-endeldarmkanker/>

Christensen, P., Krogh, K. (2010) Transanal irrigation for disordered defecation: a systematic review. *Scandinavian Journal of Gastroenterology*. 45(5):517-527.

Croese, A.D., Lonie, J.M., Trollope, A.F., ... Ho, Y. (2018). A Meta-Analysis of the Prevalence of Low Anterior resection Syndrome and Systematic Review of Risk Factors. *Int J Surg* 2018; Aug;56:234-241.  
Federatie Medisch Specialisten. Richtlijn Colorectaalcarcinoom. Op 31-05-2020 ontleend aan [https://richtlijnendatabase.nl/richtlijn/colorectaalcarcinoom\\_crc/startpagina - crc.html](https://richtlijnendatabase.nl/richtlijn/colorectaalcarcinoom_crc/startpagina - crc.html)

Heijden, van der, J.A.G., Heinsbergen, van M., Thomas G., ... Maaskant-Braat A.J.G. (2019). Implementation of a Postoperative Screening and Treatment Guidance for the Low Anterior Resection Syndrome: Preliminary Results. *Diseases of The Colon & Rectum* 2019; 62: 1033–1042.

Heinsbergen, van M., Heijden, van der, J.A.G., Stassen L.P., ... Konsten J.L. (2019). The low anterior resection syndrome in a reference population: prevalence and predictive factors in the Netherlands. *Colorectal Disease The Association of Coloproctology of Great Britain and Ireland* 2019; 22: 46-52.

Hupkens B.J.P., Martens M.H., Stoot J.H., ... Breukink, S.O. (2017). Quality of Life in rectal Cancer Patients After Chemoradiation: Watch-and-wait Policy Versus Standard Resection – A Matched-Controlled Study. *Diseases of The Colon & Rectum* 2017; Oct;60(10):1032-1040.

Hupkens B.J.P., Breukink, S.O., Olde Reuver Of Briel, C., ... Juul, T. (2018). Dutch validation of the low anterior resection syndrome score. *Colorectal Disease*, 20(10):881-887.

Het Integraal Kankercentrum Nederland. Incidentie Darmkanker. Op 31-05-2020 ontleend aan  
<https://www.iknl.nl/kankersoorten/darmkanker/registratie/incidentie>

Keane, C., Wells, C., O'Grady, G., Bissett, P. (2017). Defining low anterior resection syndrome: a systematic review of the literature. *Colorectal Disease*, 19, 713-722.

Koch, S.M., Rietveld, M.P., Govaert, B., ... Baeten, C.G. (2009). Retrograde colonic irrigation for faecal incontinence after low anterior resection. *Int J Colorectal Dis.* 24(9):1019-1022.

Koda K., Yamazaki M., Shuto, K. ... Shimizu, H. (2019). Etiology and Management of Low Anterior Resection Syndrome Based on the Normal Defecation Mechanism. *Surg Today*, 49(10):803-808.  
Kuijpers, J.H.C. (1986). Het mechanisme van de continentie voor faeces. *Nederlands Tijdschrift voor Geneeskunde*, 130, 1833-5.

Lai, X., Wong, F.K.Y., Ching, S.S.Y. (2013). Review of bowel dysfunction of rectal cancer patients during the first five years after sphincter-preserving surgery: A population in need of nursing attention. *European Journal of Oncology Nursing*, 17, 681-692.

Maag Lever Darm Stichting. Feiten en cijfers Endeldarmkanker. Op 31-05-2020 ontleend aan  
<https://www.mlds.nl/kanker/endeldarmkanker/feiten-en-cijfers-endeldarmkanker/>

Maris, A., Devreese, A.M., D'Hoore, A., ... Staes, F. (2012). Treatment options to improve anorectal function following rectal resection: a systematic review. *Colorectal Disease*, 15, 67-78.

Martellucci, J. (2016). Low Anterior Resection Syndrome: A Treatment Algorithm. *Dis Colon Rectum*, 59, 79-82.

Siegel, R.L., Miller, K.D., Fedewa, S.A., ... Jemal, A. (2017). Colorectal cancer statistics, 2017. *CA Cancer J Clin.*, 67(3):177-193.

Sun, W., Dou, R., Chen, J., ...Wang, J. (2019). Impact of Long-Course Neoadjuvant Radiation on Postoperative Low Anterior Resection Syndrome and Quality of Life in Rectal Cancer: Post Hoc Analysis of a Randomized Controlled Trial. *Ann Surg Oncol.*, 26(3):746-755.

Sun, V., Wendel, C.S., Denmark-Wahnefried, W., ... Krouse, R.S. (2019). Diet and Behavior Modifications by Long-Term Rectal Cancer Survivors to Manage Bowel Dysfunction- Associated Symptoms. *Nutr Cancer*, 71(1), 89-99.

#### **De impact van COVID-19 op de borstkankerzorg**

(pag 13 ev)

Bakker, E.,& Van Buuren, H. (2013). *Onderzoek in de gezondheidszorg* (2<sup>e</sup> druk). Groningen: Noordhoff Uitgevers.

Boeije, H.,& Bleijenbergh, I. (2019). *Analyseren in kwalitatief onderzoek* (3<sup>e</sup> druk). Amsterdam: Boom Uitgevers Amsterdam.

#### **Wat zijn de behoeften en ondersteuningswensen van partners van patiënten?**

(pag 18 ev)

Bangerter, L., Griffin, J., Langer, S., Hasan, B., Kim, W., Murad, M., & Khera, N. (2018). The Effect of Psychosocial Interventions on Outcomes for Caregivers of Hematopoietic Cell Transplant Patients. *Current Hematologic Malignancy Reports*, 13(3), 155-163.

Cooke, L., Grant, M., Eldredge, D., Maziarz, R., & Nail, L. (2011). Informal caregiving in Hematopoietic Blood and Marrow Transplant patients. *European Journal of Oncology Nursing*, 15(5), 500- 507.

Fife, B., Monahan, P., Abonour, R., Wood, L., & Stump, T. (2009). Adaptation of family caregivers during the acute phase of adult BMT. *Bone Marrow Transplant*, 43(12), 959–966.

Girgis, S., Lambert, S., Lecathelinais, C. (2011). The Supportive care needs survey for partners and caregivers of cancer survivors: development and psychometric evaluation. *Psycho-Oncology* 20(4), 387–393.

Hematon. (2014). *Een stamceltransplantatie gehad, en dan...? (6<sup>e</sup> druk)*. Utrecht: Hematon.

Institute for Positive Health. (2016). Scoringsinstrument voor positieve gezondheid.

Geraadpleegd op 12 mei 2019, van <https://iph.nl/nieuwe-versie-scoringsinstrument-beschikbaar-als-pdf/>

Jim, H., Quinn, G., Barata, A., Cases, M., Cessna, J., Gonzalez, B., Gonzalez, L., Koskan, A., Montiel-Ishino, F., & Pidala, J. (2014). Caregivers' quality of life after blood and marrow transplantation: a qualitative study. *Bone Marrow Transplant*, 49(9), 1234-1236.

Kaljouw, M., & Van Vliet, K. (2015). Zorginstituut Nederland. *Naar nieuwe zorg en zorgberoepen: de contouren*. Geraadpleegd op 8 juni 2019, van <https://www.zorginstituutnederland.nl/binaries/zinl/documenten/adviezen/2015/04/10/naar-nieuwe-zorg-en-zorgberoepen-de-contouren/Naar+nieuwe+zorg+en+zorgberoepen+%28de+contouren%29.pdf>

Kuyper, M., Hesselmann, G., & Prins, J. (2009). Mantelzorg. Landelijke richtlijn, Versie: 2. Geraadpleegd op 10 februari 2019, van [https://www.oncoline.nl/richtlijn/doc/index.php?type=pda&richtlijn\\_id=630](https://www.oncoline.nl/richtlijn/doc/index.php?type=pda&richtlijn_id=630)

Molassiotis, A., Wilson, B., Blair, S., Howe, T., & Cavet, J. (2011). Living with multiple myeloma: experiences of patients and their informal caregivers. *Supportive Care in Cancer*, 19 (1) 101- 111. Doi:10.1007/s00520-009-0793-1

Nederlandse Vereniging voor Hematologie (NVvH). (2016). *Stamceltransplantaties*. Geraadpleegd op 4 juni 2019, van <https://www.hematologienederland.nl/stamceltransplantaties>

NIVEL. (2016). *Korte patiëntervaringsvragenlijst ziekenhuiszorg*. Geraadpleegd op 9 juni 2019, van <https://www.nivel.nl/nl/nieuws/korte-patiëntervaringsvragenlijst-ziekenhuiszorg>

Sabo, B., McLeod, D., & Couban, S. (2013). The experience of caring for a spouse undergoing hematopoietic stem cell transplantation: opening Pandora's box. *Cancer Nursing*, 36(1), 29-40.

Von, A., Spath, M., Nielsen, A., & Fife, B. (2016). The Caregiver's Role Across the Bone Marrow Transplantation Trajectory. *Cancer Nursing*, 39(1), 12-19.

**Palmoplantaire erythrodysesthesie**

(pag 24 ev)

Ajani JA, Buyse M, Lichinitser M, et al. (2009). Combination of cis- platin/S-1 in the treatment of patients with advanced gastric or gastroesophageal adenocarcinoma: Results of noninferiority and safety analyses compared with cisplatin/5-fluorouracil in the First-Line Advanced Gastric Cancer Study. *Eur J Cancer*.

Anderson R, Jatoi A, Robert C, et al. (2009).Search for evidence-based approaches for the prevention and palliation of hand-foot skin reaction (HFSR) caused by the multikinase inhibitors (MKIs). *Oncologist*, 14: 291.

Anderson RT, Keating KN, Doll HA, Camacho F. (2015).The Hand-Foot Skin Reaction and Quality of Life Questionnaire: An Assessment Tool for Oncology. *Oncologist*; 20:831.

Belum VR, Wu S, Lacouture ME. (2013).Risk of hand-foot skin reaction with the novel multikinase inhibitor regorafenib: a meta-analysis. *Invest New Drugs*; 31:1078.

Boone SL, Jameson G, Von Hoff D, Lacouture ME. (2009).Blackberry-induced hand-foot skin reaction to sunitinib. *Invest New Drugs*; 27:389.

Boudou-Rouquette P, Narjoz C, Golmard JL, et al. (2012).Early sorafenib-induced toxicity is associated with drug exposure and UGTIA9 genetic polymorphism in patients with solid tumors: a preliminary study. *PLoS One*; 7:e42875.

Cassidy J, Clarke S, Díaz-Rubio E, et al. (2011). XELOX vs FOL-FOX-4 as first-line therapy for metastatic colorectal cancer: NO16966 updated results. *Br J Cancer*;105:58-64.

Childress J, Lokich J. (2003).Cutaneous hand and foot toxicity associated with cancer chemotherapy. *Ann J Clin Oncol*;26:435-6.

Ding F, Liu B, Wang Y. (2019). Risk of hand-foot skin reaction associated with vascular endothelial growth factor-tyrosine kinase inhibitors: A meta-analysis of 57 randomized controlled trials involving 24,956 patients. *J Am Acad Dermatol*.

Dranitsaris G, Vincent MD, Yu J, et al. (2012). Development and validation of a prediction index for hand-foot skin reaction in cancer patients receiving sorafenib. *Ann Oncol*; 23:2103.

Lacouture ME, Wu S, Robert C, et al. (2008). Evolving strategies for the management of hand-foot skin reaction associated with the multitargeted kinase inhibitors sorafenib and sunitinib. *Oncologist*; 13:1001.

Lai SE, Kuzel T, Lacouture M.E. (2007). Hand-foot and stump syndrome to sorafenib. *J Clin Oncol*; 5:341.

Lassere Y, Hoff P. Management of hand-foot syndrome in patients treated with capecitabine (Xeloda). *Eur J Oncol Nurs* 2004;8 Suppl 1:S31-40.

Lou Y, Wang Q, Zheng J, et al.(2016). Possible Pathways of Capecitabine-Induced Hand-Foot Syndrome. *Chem Res Toxicol*; 29:1591-1601.

Manchen E, Robert C, Porta C. (2011). Management of tyrosine kinase inhibitor-induced hand-foot skin reaction: viewpoints from the medical oncologist, dermatologist, and oncology nurse. *J Support Oncol*; 9:13.

Martschick A, Sehouli J, Patzelt A, et al. (2009). The pathogenetic mechanism of anthracycline-induced palmar-plantar erythrodysesthesia. *Anticancer Res*; 29:2307-13.

McLellan B, Kerr H. (2011). Cutaneous toxicities of the multikinase inhibitors sorafenib and sunitinib. *Dermatol Ther*; 24:396.

McLellan B, Ciardiello F, Lacouture ME, et al. (2015). Regorafenib-associated hand-foot skin reaction: practical advice on diagnosis, prevention, and management. *Ann Oncol*; 26:2017.

Miller KK, Gorcey L, McLellan BN. (2014). Chemotherapy-induced hand-foot syndrome and nail changes: a review of clinical presentation, etiology, pathogenesis, and management. *J Am Acad Dermatol*; 71:787.

Murugan K, Ostwal V, Carvalho MD, et al. (2016). Self-identification and management of hand-foot syndrome (HFS): effect of a structured teaching program on patients receiving capecitabine-based chemotherapy for colon cancer. *Support Care Cancer*; 24:2575-81.

Nagore E, Insa A, Sanmartin O. (2000). Antineoplastic therapy- induced palmar plantar erythrodysesthesia ('hand-foot') syndrome: incidence, recognition and management. *Ann J Clin Dermatol*;1:225-34.

Kwakman JJM, Elshot YS, Punt CJA, Koopman M. (2020). Management of cytotoxic chemotherapy-induced hand-foot syndrome. *Oncol Rev.*;14(1):442. Published 2020 May 13.

Kwakman JJM, Simkens LHJ, van Rooijen JM, et al. (2017).Randomized phase III trial of S-1 versus capecitabine in the first-line treatment of metastatic colorectal cancer: SALTO study by the Dutch Colorectal Cancer Group. *Ann Oncol*;28:1288-93.

Ren Z, Zhu K, Kang H, et al. (2015).Randomized controlled trial of the prophylactic effect of urea-based cream on sorafenib-associated hand-foot skin reactions in patients with advanced hepatocellular carcinoma. *J Clin Oncol*;33:894-900.

Saif MW, Elfiky AA. (2007). Identifying and treating fluoropyrimidine-associated hand-and-foot syndrome in white and non- white patients. *J Support Oncol*;7:337-43.

Sibaud V, Dalenc F, Chevreau C, et al. (2011).HFS-14, a specific quality of life scale developed for patients suffering from hand-foot syndrome. *Oncologist*; 16:1469.

Trotti A, Colevas AD, Setser A, Basch E. (2007).Patient-reported outcomes and the evolution of adverse event reporting in oncology. *J Clin Oncol*; 25:5121.

Tsuchiya N, Narita S, Inoue T, et al. (2013). Risk factors for sorafenib-induced high-grade skin rash in Japanese patients with advanced renal cell carcinoma. *Anticancer Drugs*; 24:310.

Vermeer K. Incidence of hand-foot syndrome in colorectal cancer is underestimated. (2019). Results of Dutch Colorectal Cancer Group questionnaire exemplified. *Medische Oncologie*;1:56-7. [Article in Dutch].

Van Doorn L, Veelenturf S, Binkhorst L, et al. (2017). Capecitabine and the Risk of Fingerprint Loss. *JAMA Onco*;3:122-3.

Yokomichi N, Nagasawa T, Coler-Reilly A, et al. (2013). Pathogenesis of hand-foot syndrome induced by PEG-modified liposomal doxorubicin. *Hum Cell*;26:8-18.

**Oncologie is soms zenuwslopend...**

(pag 30 ev)

Cavaletti, G., & Marmiroli, P. (2010). Chemotherapy-induced peripheral neurotoxicity. *Nature Reviews Neurology*, 6(12), 657–666.

Hottinger, A. F. (2016). Neurologic complications of immune checkpoint inhibitors. *Current Opinion in Neurology*, 29(6), 806–812.

van Doorn, P. (2007). Richtlijn Polyneuropathie. Ned Tijdschr Geneeskd., 2007(151), 1566–1573.  
Geraadpleegd van <https://www.ntvg.nl/artikelen/richtlijn-polyneuropathie>

Vranken, J. H., & van der Vegt, M. H. (2006). De farmacologische behandeling van neuropathische pijn. *Huisarts en Wetenschap*, 2006(12), 622–628. Geraadpleegd van <https://www.henw.org/artikelen/de-farmacologische-behandeling-van-neuropathische-pijn>

Witvoet, E., van der Star, G. M., Prupperts, M. H. J., & Notermans, N. C. (2020). IgM-MGUS-polyneuropathie: een overzicht. *Tijdschrift voor Neurologie en Neurochirurgie*, 2020(121(2)), 53–57.  
Geraadpleegd van [https://www.ariez.nl/wp-content/uploads/2020/04/TNN\\_20202\\_Art-Witvoet.pdf](https://www.ariez.nl/wp-content/uploads/2020/04/TNN_20202_Art-Witvoet.pdf)

Zorginstuut Nederland. (2020, 1 juli). FarmacotherapeutischKompas. Geraadpleegd van <https://www.farmacotherapeutischkompas.nl/bladeren/preparaatteksten/c/cisplatine>

**Begeleiding van ouders met kanker door (oncologie)verpleegkundigen**

(pag 34-38)

Arber, A., & Odelius, A. (2018). Experiences of oncology and palliative care nurses when supporting parents who have cancer and dependent children. *Cancer Nursing*, 41, 248-254

Barnes, J., Kroll, L., Burke, O., Lee, J., Jones, A., & Stein, A. (2000). Qualitative interview study of communication between parents and children about maternal breast cancer. *British Medical Journal*, 321, 479-482

Billhult, A., & Segesten, K. (2003). Strength of motherhood: nonrecurrent breast cancer as experienced by mothers with dependent children. *Scandinavian Journal of caring sciences*, 17, 122-128

Dalton, L., Rapa, E., Ziebland, S., Rochat, T., Kelly, B., Hannington, L., ...Stein, A. (2019). Communication with children and adolescents about the diagnosis of a life threatening condition in their parent. *Lancet*, 393, 1164-1176

Ellis, S., Wakefield, C., Antill, G., Burns, M., & Patterson, P. (2017). Supporting children facing a parent's cancer diagnosis: a systematic review of children's psychosocial needs and existing interventions. *European Journal of Cancer Care*, 26.

Ernst, J.C., Beierlein, V., Romer, G., Moller, B., Koch, U., & Bergelt, C. (2013). Use and need for psychosocial support in cancer patients: a population-based sample of patients with minor children. *Cancer*, 119, 2331 -2341

Golsäter, M., Enskär, K., & Knutsson, S. (2019). Parents' perceptions of how nurses care for children as relatives of an ill patient- Experiences from an oncological outpatient department, *European Journal of Oncology Nursing*, 39, 35-40.

Golsäter, M., Henricson, Enskär, K., & Knutsson, S. (2016). Are children as relatives our responsibility? How nurses perceive their role in caring for children as relatives of seriously ill patients.

Helseth, S. & Ulfseit, N. (2008). Parenting experiences during cancer. *Cancer nursing*, 26, 113-120.

Intergraal Kankercentrum Nederland. (2019). NKR-cijfers. Retrieved from <https://www.iknl.nl/nkr-cijfers>.

Lewis, F., 2007. Parental cancer and dependent children: selected issues for future research. *Psychooncology*, 16(2), 97-98.

Kohnstamm, R. (2009). *Kleine ontwikkelingspsychologie I. Het jonge kind*. Houten, Nederland: Bohn Stafleu Van Loghum.

Phillips, F. (2014). Adolescents living with a parent with advanced cancer: a review of the literature. *Psycho-oncology*, 23 (12), 1323-1339.

Schiela E., Hocking, A., Joubert, L., Wiseman, F., & Blaschke, S. (2019). An exploratory needs analysis of parents diagnosed with cancer. *Australian Social Work*, 72 (3), 325-335. DOI: 10.1080/0312407X.2019.1577472

Semple, C., & McCancer, T. (2010). Parents' experience of cancher who have young children. A literature review. *Cancer Nursing*, 33 (2), 110-118.

Stiffler, D. Haase, J., Hosei, B., & Barada, B. (2008). Parenting experiences with adolescent daughters when mothers have breast cancer. *Oncology Nursing Forum*, 35 (1), 113-120.

Uitterhoeve, R., Duijnhouwer, E., Ambaum, B., & Van Achterberg, T. (2003). Turning towards the psychosocial domain of oncology nursing; a main problem analysis in the Netherlands, *Cancer Nursing*, 26 (1): 18-27.

#### **Samen fitter na de diagnose kanker**

(pag 40 ev)

Boyle, T., Vallance, J. K., Ransom, E. K., & Lynch, B. M. (2016). How sedentary and physically active are breast cancer survivors, and which population subgroups have higher or lower levels of these behaviors? *Supportive Care in Cancer : Official Journal of the Multinational Association of Supportive Care in Cancer*, 24(5), 2181–2190.

Bray, F., Ferlay, J., Soerjomataram, I., ... Jemal, A. (2018). Global cancer statistics 2018: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. *CA: A Cancer Journal for Clinicians*, 68(6), 394–424.

Buffart, L. M., Kalter, J., Sweegers, M. G., ... Brug, J. (2017). Effects and moderators of exercise on quality of life and physical function in patients with cancer: An individual patient data meta-analysis of 34 RCTs. *Cancer Treatment Reviews*, 52, 91–104.

Campbell, K. L., Winters-Stone, K. M., Wiskemann, J., ... Schmitz, K. H. (2019). Exercise Guidelines for Cancer Survivors: Consensus Statement from International Multidisciplinary Roundtable. *Medicine and Science in Sports and Exercise*, 51(11), 2375–2390.

Friedenreich, C. M., Shaw, E., Neilson, H. K., & Brenner, D. R. (2017). Epidemiology and biology of physical activity and cancer recurrence. *Journal of Molecular Medicine*, 95(10), 1029–1041.

Furmaniak, A., Menig, M., & Markes, M. (2016). Exercise for women receiving adjuvant therapy for breast cancer. *Cochrane Database Syst Rev*, 9.

Gal, R., Monninkhof, E. M., Peeters, P. H. M., ... May, A. M. (2019). Physical activity levels of women with breast cancer during and after treatment, a comparison with the Dutch female population. *Acta Oncologica*, 58(5), 673–681.

Mason, C., Alfano, C. M., Smith, A. W., ... McTiernan, A. (2013). Long-term physical activity trends in breast cancer survivors. *Cancer Epidemiology Biomarkers and Prevention*, 22(6), 1153–1161.

Patel, A. V., Friendenreich, C. M., Moore, S. C., ... Matthews, C. E. (2019). American College of Sports Medicine Roundtable Report on Physical Activity, Sedentary Behavior, and Cancer Prevention and Control. *Medicine & Science in Sports & Exercise*, 51(11).

Torre, L. A., Siegel, R. L., Ward, E. M., & Jemal, A. (2016). Global Cancer Incidence and Mortality Rates and Trends--An Update. *Cancer Epidemiology Biomarkers & Prevention*, 25(1), 16–27.

Van Vulpen, J. K., Peeters, P. H. M., Velthuis, M. J., ... May, A. M. (2016). Effects of physical exercise during adjuvant breast cancer treatment on physical and psychosocial dimensions of cancer-related fatigue: A meta-analysis. *Maturitas*, 85, 104–111.